


## Single Hearth Electron Beam Evaporators





Ferrotec's Single Hearth Electron Beam Evaporators are designed for high rate evaporation and ultra clean process requirements. All sources are available in UHV versions to support bakeout temperatures of more than 250°C. Typical applications are production coatings or laboratory-scale evaporations as well as high purity Molecular Beam Epitaxy (MBE).

## Single Hearth Electron Beam Evaporators

EV 1-8 EV 1-8 UHV EV 1-40 EV 1-40 UHV EV 1-100 EV 1-100 UHV

## Features


- Small beam spot regardless of position in pocket
- Low inductance x- and y-coils
   with dynamic defocusing capability
- Long filament lifetime
- Reproducible & quick filament fixture
- Plug-in connector for magnet leads


## Benefits

- Homogeneous material depletion
- Stable beam sweep at high beam deflection frequencies
- Reduced maintenance and down-time
- Enhanced run-to-run repeatability
- Non-interchangeable connections

Standard pocket volumes are 8 cm³ and 40 /100 cm³. Other volumes and geometries are available on request.

**EV 1-8** 





Plug-in magnet current connector

Magnet deflection assembly creates a focused beam with minimized distortion regardless of its position in the pocket. The high frequency sweep ensures homogeneous material depletion for advanced evaporation processes

**UHV** Configurations

Ferrotec offers various CF evaporator systems mounted to CF flanges, including customized shutter and Meissner trap configurations. The magnet coils utilize either UHV-compatible polyimide wire (EV 1-40/100 UHV) or are completely encapsulated in a stainless steel housing (EV 1-8 UHV). Please contact your nearest Ferrotec representative for individual solutions.




EV 1-8 UHV horizontally mounted on CF100 without cover





EV 1-8 UHV vertically mounted on CF150 with pneumatically operated shutter and Meissner trap


EV 1-8	EV 1-8 UHV	EV 1-40/100	EV 1-40/100 UHV
8 cm³		40/100 cm <sup>3</sup>	
5 kW		10 kW	
4 - 10 kV			
50 A @ 10 VAC			
270° by permanent magnet			
metal-ceramic enc. (250 °C)		UHV compatible polyimide (250°C)	
± 3 A		± 3 A (150 Hz)	
± 3 A		± 3 A (150 Hz)	
5 mm (1/4")		3 mm (1/8")	
7 000 Å/min		12 000 Å/min	
10 <sup>-8</sup> mbar (torr)	10 <sup>-10</sup> mbar (torr)	10 <sup>-8</sup> mbar (torr)	10 <sup>-10</sup> mbar (torr)
6 l/min; 3 bar (2 gpm; 45 psi)		8 l/min; 3 bar (2 gpm; 45 psi)	
2 x VCO	2 x VCR	2 x VCO	2 x VCR
5 kg (11 lb)		10 kg (22 lb)	
1-65 40 00	1-65 30 00	1-68 40 00 / 1-68 30 00	1-68 10 00 / 1-68 00 0
	8 cr 5 k² metal-ceramic ± 3 ± 3 5 mm 7 000 / 10 <sup>-8</sup> mbar (torr) 6 l/min; 3 bar (2 2 x VCO	8 cm <sup>3</sup> 5 kW  50 270° by p  metal-ceramic enc. (250 °C) ± 3 A ± 3 A 5 mm (1/4") 7 000 Å/min  10 <sup>-8</sup> mbar (torr) 6 l/min; 3 bar (2 gpm; 45 psi) 2 x VCO 2 x VCR 5 kg (11 lb)	8 cm³ 40/100 cm   5 kW 10 kW   4 - 10 kV   50 A @ 10 VAC   270° by permanent magnet    metal-ceramic enc. (250 °C) UHV compatible poly   ± 3 A ± 3 A (150   ± 3 A ± 3 A (150   5 mm (1/4") 3 mm (1/4") 3 mm (1/4") 7 000 Å/min 12 000 Å/   10-8 mbar (torr) 10-10 mbar (torr) 10-8 mbar (torr) 6 l/min; 3 bar (2 gpm; 45 psi) 8 l/min; 3 bar (2 gpm; 45 psi) 2 x VCO   5 kg (11 lb) 10 kg (22


 $<sup>^{1}</sup>$  For aluminum with source-to-substrate distance of 250 mm (10") at rated power














All dimensions in mm (inch)



GERMANY
Ferrotec GmbH
Seerosenstraße 1
D-72669 Unterensingen
P +497022-9270-10
ebgun@ferrotec.com
www.ferrotec.com

USA
Ferrotec (USA) Corporation
40 Simon Street
Nashua, NH 03060
P +1 (603) 883-9800
F +1 (603) 883-2308
info@ferrotec.com
www.ferrotec.com

JAPAN
Ferrotec Corporation
1-4-14 Kyobashi
Chuo-ku, Tokyo 104-0031
P +81-3-3281-8808
F +81-3-3281-8848
info@ferrotec.co.jp
www.ferrotec.co.jp